

CONDITIONING POLYMER · CATIONIC GUAR

ASIRAW GUARPLEX146

INCI NAME

Guar Hydroxypropyltrimonium Chloride

PACKING

25 kg / bag

◆ GENERAL INFORMATION

ASIRAW GUARPLEX146 is a water-soluble cationic guar with a high degree of substitution and very low irritation. In shampoos it improves wet and dry combing, enriches foam texture and promotes silicone deposition. In body wash it enhances the moisturised, silky after-feel, and in skin care it improves skin feel and helps stabilise low-viscosity emulsions. It forms a breathable protective film on hair and skin.

◆ SPECIFICATION

PARAMETER	TYPICAL VALUE
Appearance	Creamy white to yellow fine powder
Moisture (%)	≤ 10
Ash (%)	≤ 5.0
pH (1.0 % solution)	9.0 – 11.0
Particle size (120 mesh, %)	≥ 99
Nitrogen (as N, %)	1.4 – 1.7
Viscosity (1 %, 25 °C, SP3, 20 rpm)	3000 – 4500
Total plate count (CFU/g)	≤ 500
Molds & yeasts (CFU/g)	≤ 100

* Typical values for guidance only — not to be used as product specification.

◆ FORMULATION GUIDANCE

Disperse in water, neutralise with acid to hydrate, then add the other ingredients to ensure uniform dispersion of the cationic guar.

◆ KEY BENEFITS

- Improves wet and dry combability, anti-static
- Enhances foam texture and silicone deposition
- Silky, moisturised skin feel after bathing
- Can partially replace cationic surfactants to reduce irritation
- Viscosity adjustment, emulsion stabilisation, pearl suspension

◆ APPLICATIONS

Shampoos

Body wash

Conditioners

Cleansers

Lotions & creams

◆ DOSAGE

0.30 – 1.0 % Hair care products

0.10 – 0.80 % Leave-on products

0.10 – 0.50 % Shampoos / shower

0.10 – 0.30 % Cleansing products

0.05 – 0.20 % Lotions & creams

◆ STORAGE & HANDLING

Standard packing 25 kg / bag

Storage Store in a cool, dry and well-ventilated place, away from direct light. Keep container tightly closed.

ASIRAW · Cosmetic & Dermo-Cosmetic Ingredients

Blue Peak Supply Chain Management (Zhuhai) Co., Ltd.
Room 1615, Xiangshan Chang (Zhuhai Media Group), No. 566
Yinhua Road, Xiangzhou District, Zhuhai, Guangdong, P.R. China



T +86 152 1716 6607
E contact@asiraw.com.cn
W www.asiraw.com.cn

The information in this Technical Data Sheet is provided in good faith and is believed to be accurate as of the issue date. Values shown are typical and are not to be construed as product specifications; the binding specification is the Certificate of Analysis issued for each batch. No warranty, express or implied, is given as to the suitability of the product for any particular application. Users are responsible for their own testing, formulation, finished-product safety assessment and compliance with applicable regulations in the country of sale. ASIRAW and Blue Peak Supply Chain Management (Zhuhai) Co., Ltd. accept no liability for any use beyond their direct control. This document is the property of ASIRAW and may not be reproduced or modified without written permission.